) Model 625

Hand-Held Hygrometer



The **Model 625** humidity/temperature hand-held hygrometer can display any of the following: RH and temperature, or dew point and temperature, or wet bulb and temperature. The unit includes the 625 hand held hygrometer, an integral humidity probe head, a handle and cable, a 9V battery, a travel case and a NIST traceable calibration certificate.

The Model 625 is an ideal instrument for indoor air quality (IAQ) and indoor environmental quality (IEQ) measurements of temperature and humidity. The EdgeTech 625 temp/RH probe can

be used two ways: use it as an integrated unit by attaching the probe head to the instrument or connect both parts via a cable. The clear back-lit display can be switched between relative humidity, wet bulb, and dew point at the touch of a button.

Model 625 Features

- Displays temperature, relative humidity, wet bulb temperature and dew point
- Max Min values
- "Hold" button freezes display readings
- Backlit display
- Auto Off
- Patented humidity sensor



MODEL 625 SPECIFICATIONS

TECHNICAL DATA

Sensor: Capacitance Humidity Sensor

Measurement Range:

Humidity: 0-100%RH

Temperature: -14°F to 140°F (-25.5°C to 60°C)

Accuracy:

%RH: +/- 2.5% RH (5 to 95%RH)

Temperature: +/-0.9°F (+/-0.5°C)

Operating Temp: -4°F to 122°F (-20°C to 50°C)

Storage Temp: -40°F to 185°F (-40°C to 85°C)

Battery Type: 9V

Battery Life: 70 hours

Weight: 341g (<1lb)

Material Housing: ABS plastic (Housing warranted 2 years)

Dimensions: 7 x 2.5 x 1.6 inches (177.8mm x 63.5mm x 40.6mm)

